# EAST Search History

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|---|---|---|---|---|---|---|
| L1 | 2838 | archival and archiving | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/06/29 15:28 |
| L2 | 190 | 1 and format$4 near6 (data and archiv$4 and storage) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/06/29 15:29 |
| L3 | 57 | 2 and (compress$6 and (uncompress$6 or un-compress$6 or decompress$6 or de-compress$6)) near6 (format$4 or data) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/06/29 15:31 |
| L4 | 37 | 3 and (@AD <= "20010809" or @RLAD <= "20010809") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/06/29 15:32 |
| L5 | 31 | 4 and (compress$6 or archiv$6) adj3 format$4 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/06/29 15:35 |
| L6 | 29 | 4 and (compress$6 and archiv$6) adj3 format$4 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/06/29 15:35 |
| L7 | 28 | 4 and (compressed and (archiving or archival or archived)) adj3 format$4 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/06/29 15:37 |
| L8 | 0 | 7 and (uncompressed and (nonarchiv$6 or non-archiv$6 or unarchiv$6 or un-archiv$6)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/06/29 15:38 |

| L9 | 0 | 7 and (uncompress$6 and (nonarchiv$6 or non-archiv$6 or unarchiv$6 or un-archiv$6)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/06/29 15:39 |
|---|---|---|---|---|---|---|
| L10 | 7 | 7 and (uncompress$6 or (nonarchiv$6 or non-archiv$6 or unarchiv$6 or un-archiv$6)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/06/29 15:39 |
| L11 | 0 | 2 and (compressed and (archiving or archival or archived)) and (uncompress and (nonarchiv$6 or non-archiv$6 or unarchiv$6 or un-archiv$6)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/06/29 15:41 |
| L12 | 4 | 2 and (compressed and (archiving or archival or archived)) same (uncompress or (nonarchiv$6 or non-archiv$6 or unarchiv$6 or un-archiv$6)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/06/29 15:41 |
| L13 | 7 | 2 and (compressed and (archiving or archival or archived)) and (uncompress or (nonarchiv$6 or non-archiv$6 or unarchiv$6 or un-archiv$6)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/06/29 15:44 |
| L14 | 145 | 1 and format$4 near4 (data and archiv$4 and storage) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/06/29 15:44 |
| L15 | 7 | 14 and (compressed or (archiving or archival or archived)) same (uncompress or (nonarchiv$6 or non-archiv$6 or unarchiv$6 or un-archiv$6)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/06/29 15:45 |
| L16 | 1101 | (compressed or (archiving or archival or archived)) same (uncompress or (nonarchiv$6 or non-archiv$6 or unarchiv$6 or un-archiv$6)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/06/29 15:47 |

| L17 | 716 | (compressed or (archiving or archival or archived)) with (uncompress or (nonarchiv$6 or non-archiv$6 or unarchiv$6 or un-archiv$6)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/06/29 15:47 |
|---|---|---|---|---|---|---|
| L18 | 2 | 17 and (((file adj system) or (file adj directory)) and archiv$6) same routines! | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/06/29 15:48 |
| L19 | 17 | (((file adj system) or (file adj directory)) and archiv$6) same routines! | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/06/29 15:49 |
| L20 | 2 | 19 and (compressed or (archiving or archival or archived)) with (uncompress or (nonarchiv$6 or non-archiv$6 or unarchiv$6 or un-archiv$6)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/06/29 15:50 |
| L21 | 2 | 19 and (compressed or (archiving or archival or archived)) and (uncompress or (nonarchiv$6 or non-archiv$6 or unarchiv$6 or un-archiv$6)) and format$6 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/06/29 15:51 |
| L22 | 14 | 19 and (@AD <= "20010809" or @RLAD <= "20010809") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/06/29 15:51 |
| L23 | 53 | (((file adj system) or (file adj directory)) and archiv$6) same routine | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/06/29 15:55 |
| L24 | 35 | 23 and (@AD <= "20010809" or @RLAD <= "20010809") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/06/29 15:56 |

| L25 | 2 | 24 and (compressed or (archiving or archival or archived)) and (uncompress or (nonarchiv$6 or non-archiv$6 or unarchiv$6 or un-archiv$6)) and format$6 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/06/29 15:56 |
|-----|---|-----|-----|-----|-----|-----|
| L26 | 2 | 24 and (compressed or (archiving or archival or archived)) and (uncompress or (nonarchiv$6 or non-archiv$6 or unarchiv$6 or un-archiv$6)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/06/29 15:56 |
| L27 | 12464 | ((compress$3 or archiv$3) and (uncompress or un-compress$3 or noncompress$3 or non-compress$3 or decompress$3 or de-compress$3 or nonarchiv$6 or non-archiv$6 or unarchiv$6 or un-archiv$6 or dearchiv$3 or de-archiv$3)) same (software or program or routine or (program adj code)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/06/29 16:06 |
| L28 | 11205 | ((compress$3 or archiv$3) same (uncompress or un-compress$3 or noncompress$3 or non-compress$3 or decompress$3 or de-compress$3 or nonarchiv$6 or non-archiv$6 or unarchiv$6 or un-archiv$6 or dearchiv$3 or de-archiv$3)) same (software or program or routine or (program adj code)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/06/29 16:07 |
| L29 | 6377 | 28 and (@AD <= "20010809" or @RLAD <= "20010809") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/06/29 16:07 |

| L30 | 43 | 29 and format$4 near6 (data and archiv$4 and storage and compress$3) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/06/29 16:07 |
|-----|----|-----|-----|-----|-----|-----|
| L31 | 19 | 30 and (((file adj system) or (file adj directory)) and archiv $6) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/06/29 16:18 |
| L32 | 42 | ((compress$3 and (uncompress or un-compress$3 or noncompress$3 or non-compress$3 or decompress$3 or de-compress$3)) and (archiv$3 and (nonarchiv$6 or non-archiv$6 or unarchiv $6 or un-archiv$6 or dearchiv$3 or de-archiv$3))) same (software or program or routine or (program adj code) or application or operation) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/06/29 16:22 |
| L33 | 2 | 32 and (@AD <= "20010809" or @RLAD <= "20010809") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/06/29 16:22 |
| L34 | 68 | ((compress$3 and (uncompress or un-compress$3 or noncompress$3 or non-compress$3 or decompress$3 or de-compress$3)) and (archiv$3 and (nonarchiv$6 or non-archiv$6 or unarchiv $6 or un-archiv$6 or dearchiv$3 or de-archiv$3))) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/06/29 16:24 |
| L35 | 11 | 34 and (@AD <= "20010809" or @RLAD <= "20010809") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/06/29 16:24 |

| L36 | 65832 | (((compress$3 same (uncompress or un-compress$3 or noncompress$3 or non-compress$3 or decompress$3 or de-compress$3)) or (archiv$3 same (nonarchiv$6 or non-archiv$6 or unarchiv$6 or un-archiv$6 or dearchiv$3 or de-archiv$3))) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/06/29 16:28 |
|-----|-------|-------|-------|-----|-----|------|
| L37 | 12372 | 36 and (((compress$3 same (uncompress or un-compress$3 or noncompress$3 or non-compress$3 or decompress$3 or de-compress$3)) or (archiv$3 same (nonarchiv$6 or non-archiv$6 or unarchiv$6 or un-archiv$6 or dearchiv$3 or de-archiv$3))) ) same (routine or softare or program or codes! or module or utility) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/06/29 16:29 |
| L38 | 15331 | 36 and (((compress$3 same (uncompress or un-compress$3 or noncompress$3 or non-compress$3 or decompress$3 or de-compress$3)) or (archiv$3 same (nonarchiv$6 or non-archiv$6 or unarchiv$6 or un-archiv$6 or dearchiv$3 or de-archiv$3))) ) same (routine or software or program or codes! or module or utility) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/06/29 16:29 |
| L39 | 8523 | 38 and (@AD <= "20010809" or @RLAD <= "20010809") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/06/29 16:29 |

| L40 | 41 | 39 and format$4 near4 (data and archiv$4 and storage and compress$4) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/06/29 16:30 |
| L41 | 3 | 40 and (((file adj system) or (file adj directory)) same archiv$6) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/06/29 16:31 |

6/29/08 4:36:01 PM
C:\Documents and Settings\aly\My Documents\EAST\Workspaces\LY.wsp